

rullari[®]



STACKDOOR

STACKDOOR STEEL TRELLIS DOORS



STACKDOOR STEEL SECURITY DOORS

Kokema Oy supplies steel security doors manufactured by its partner Stackdoor Products BV. Dutch company Stackdoor Products BV has been in business for more than 30 years. These steel security doors are designed for facades, entrances and interiors which demand elegant solutions with maximum transparency without compromising security. Stackdoor Products BV steel security doors meet the requirements of burglar resistance classes 2 and 3 (EN 1627) and are therefore suitable for locations where effective and durable burglary protection is required. Due to its unique design and technology, the Stackdoor steel security door can also be installed in angled or curved doorways (e.g. revolving doorways) without unnecessary loss of space. Doors are made to the customer's specifications and highly professional installation services are available all over Finland for flexible installation.

STRUCTURE

Stackdoor steel door construction consists of 30 x 15 mm steel profiles and 8 mm thick steel bars. The material of the profiles can be steel or stainless steel. The maximum width of the steel door is 12000 mm and the height is 5000 mm.

FUNCTION

Stackdoor steel security doors are always electrically operated. The standard motors used are 1-phase tubular motors. For larger doors, 3-phase motors are used. Stackdoor steel screen doors are stacked vertically around the axle, so that the steel connectors are hidden when the gate is raised into the horizontal beams. Because of this they are also very suitable for confined spaces. The door can be made to open either from the bottom up or from the top down and is controlled by a key-operated switch. The door can be equipped with pulse control and can therefore also be connected to an access control system.


LOCKING

Thanks to its patented mechanism, the door locks when closed, making it impossible to lift the door by force.

SURFACE TREATMENT

Stackdoor steel screen doors are supplied galvanised as standard. Doors can also be powder-coated in RAL Classic shades.

STRUCTURE



KOKEMA_{oy}

PL 91, Kakkulaistentie 5, 32801 Kokemäki

Puh. +358 10 326 3840

info@kokema.fi | www.kokema.fi

